

Formularze w HTML

Początek formularza

Opcjonalne atrybuty

`<form name="?" action="?" method="?">`

`<!-- treść formularza -->`

`</form>`

Koniec formularza

Atrybuty znacznika <form>

- **name = "nazwa"** - nadaje nazwę formularzowi
- **action** - określa adres skryptu, który ma przejąć dane z formularza, przykłady:
 - **action = "http://adres.pl"**
 - **action = "strona.php"**
 - **action = "#"** (wartość domyślna)

Atrybuty znacznika <form> (cd)

- **method** - określa sposób przesyłania danych z formularza:
 - **method = "get"** - sposób jawny przy użyciu adresu URL (wartość domyślna)
 - **method = "post"** - sposób niejawny przy użyciu nagłówka protokołu HTTP

Pole wprowadzania tekstu

```
<input type="text" name="nazwa">
```

Pole wprowadzania hasła

```
<input type="password" name="nazwa">
```

Pole wyboru jednokrotnego

```
<input type="radio" name="płeć"  
value="kobieta"> Kobieta <br>
```

```
<input type="radio" name="płeć"  
value="mężczyzna"> Mężczyzna <br>
```

- Kobieta
- Mężczyzna

Pole wyboru wielokrotnego


```
<input type="checkbox" name="muzyka" value="pop"> Pop <br>
```

```
<input type="checkbox" name="muzyka" value="rock"> Rock <br>
```

- Pop
- Rock

Pole wprowadzania długiego tekstu


```
<textarea name="nazwa" rows="4" cols="10">  
</textarea>
```



```
1 tekst  
2 tekst  
3 tekst  
4 tekst
```


Pole listy rozwijanej jednokrotnego wyboru


```
<select name="nazwa">  
  <option value="volvo">Volvo</option>  
  <option value="saab">Saab</option>  
</select>
```



A screenshot of a web browser showing a dropdown menu. The menu is currently displaying 'Volvo' as the selected option, which is highlighted in blue. Below it, the option 'Saab' is visible. A small downward-pointing arrow is located to the right of the 'Volvo' text in the top part of the menu.


Pole listy rozwijanej wielokrotnego wyboru

```
<select multiple name="nazwa">  
  <option value="volvo">Volvo</option>  
  <option value="saab">Saab</option>  
</select>
```



Grupowanie pól formularza

```
<fieldset>  
  <legend>Nagłówek</legend>  
  <!-- elementy formularza -->  
</fieldset>
```



Nagłówek

Przycisk wysyłania danych

```
<input type="submit" name="nazwa"  
value="Wyślij">
```

Przycisk „czyszczenia” formularza

```
<input type="reset" value="Wyczyść dane">
```

Wyczyść dane